



Inspection Report

COLLEEN RIES

Customer ID: **20612**

Certificate: **42-A-0950**

WISHBONE KENNELS

Site: 001

1835 310TH STREET

COLLEEN RIES

Type: ROUTINE INSPECTION

Date: Jul-13-2009

RYAN, IA 52330

3.10

WATERING.

If potable water is not continually available to the dogs and cats, it must be offered to the dogs and cats as often as necessary to ensure their health and well-being, but not less than twice daily for at least 1 hour each time, unless restricted by the attending veterinarian. Water receptacles must be kept clean and sanitized in accordance with Sec. 3.11(b) of this subpart, and before being used to water a different dog or cat or social grouping of dogs or cats.

The facility had one enclosure where the water lixit was leaking water and a buildup of rust that had accumulated onto the lixit. This has caused the lixit to be unsanitary.

The facility failed to maintain a clean and sanitary water receptacle for the animals in the enclosure which could potentially cause a biological hazard affecting their health and wellbeing.

Repair the lixit and maintain it in a clean and sanitary way.

Correct by: 20 July 2009. This affected 2 animals indirectly.

3.11

CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

Housekeeping for premises. Premises where housing facilities are located, including buildings and surrounding grounds, must be kept clean and in good repair to protect the animals from injury, to facilitate the husbandry practices required in this subpart, and to reduce or eliminate breeding and living areas for rodents and other pests and vermin. Premises must be kept free of accumulations of trash, junk, waste products, and discarded matter. Weeds, grasses, and bushes must be controlled so as to facilitate cleaning of the premises and pest control, and to protect the health and well-being of the animals.

The facility had a water line that was leaking at a junction that was causing water rust stain along the length of the wall and entering into a primary enclosure.

Prepared By:

DEBRA M SIME, D V M USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 1072

Jul-13-2009

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Jul-13-2009



Inspection Report

The facility has failed to keep the water line in the building in good repair. The resulting leak could potentially cause a biological hazard which may affect the health and wellbeing of the animals nearby.

Repair the water line junction so that is maintained in good repair and no longer leaks.

Correct by: 20 July 2009. This affected 2 animals indirectly.

Inspection and exit interview conducted with Owner.

End of report.

Prepared By:

DEBRA M SIME, D V M USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 1072

Jul-13-2009

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Jul-13-2009



Inspection Report

COLLEEN RIES
WISHBONE KENNELS
1835 310TH STREET

Customer ID: **20612**
Certificate: **42-A-0950**
Site: 001
COLLEEN RIES

Type: ATTEMPTED INSPECTION

Date: Mar-05-2009

RYAN, IA 52330

2.126 (a)

ACCESS AND INSPECTION OF RECORDS AND PROPERTY.

**(a) Each dealer, exhibitor, intermediate handler, or carrier, shall, during business hours, allow APHIS officials:

- (1) To enter its place of business;
- (2) To examine records required to be kept by the Act and the regulations in this part;
- (3) To make copies of the records;
- (4) To inspect and photograph the facilities, property and animals, as the APHIS officials consider necessary to enforce the provisions of the Act, the regulations and the standards in this subchapter**

At approximately 10:10 am on Thursday, March 5, 2009, an attempt was made to perform an animal welfare inspection at the 310th St. address. There was no answer at this residence. All dealers are required, during normal business hours, to allow APHIS officials the opportunity to inspect all animals, facilities, and records to ensure compliance with the regulations of the Animal Welfare Act.

Prepared By:

DAVID KAMINSKY, V.M.O USDA, APHIS, Animal Care

Date:

Title: VETERINARY MEDICAL OFFICER Inspector 5040

Mar-06-2009

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Mar-06-2009



Inspection Report

COLLEEN RIES

Customer ID: **20612**

Certificate: **42-A-0950**

Site: 001

COLLEEN RIES

WISHBONE KENNELS

1835 310TH STREET

Type: ROUTINE INSPECTION

Date: Feb-14-2008

RYAN, IA 52330

3.1 (c) (3)

HOUSING FACILITIES, GENERAL.

(c) Surfaces--

(3) Cleaning. Hard surfaces with which the dogs or cats come in contact must be spot-cleaned daily and sanitized in accordance with Sec. 3.11(b) of this subpart to prevent accumulation of excreta and reduce disease hazards.

A thin layer of rust (residue from the water at the facility as per the undersigned facility designate) was present on the interior walls of the dog's primary enclosures during the time of inspection. All of the enclosures in the last breeding building were affected. All of the affected areas are accessible to the dogs. The undersigned inspector was able to scrape the rust off of the walls in two areas with his fingernail. This layer of rust provides an area for harmful bacteria and other disease causing hazards that affect dogs to accumulate as it can not be properly sanitized. These areas must thoroughly cleaned and santized to provide for the health and well-being of the animals.

To be corrected: 3-7-08

3.1 (f)

HOUSING FACILITIES, GENERAL.

(f) Drainage and waste disposal. Housing facility operators must provide for regular and frequent collection, removal, and disposal of animal and food wastes, bedding, debris, garbage, water, other fluids and wastes, and dead animals, in a manner that minimizes contamination and disease risks... Dead animals, animal parts, and animal waste must not be kept in food storage or food preparation areas, food freezers, food refrigerators, or animal areas.

A dead Cairn terrier was observed on the floor in the aisle of the last breeding building during the time of inspection. The undersigned facility designate indicated that he found the dead dog two days ago. Leaving deceased animals in the animal areas is not sanitary and poses a potential disease risk to the other animals. Remove the deceased dog and dispose of it properly. This shall be accomplished to provide for the health and well-being of the other animals at the facility.

To be corrected: 2-15-08

Prepared By:

CHAD T MOORE, A C I USDA, APHIS, Animal Care

Date:

Title: ANIMAL CARE INSPECTOR Inspector 1046

Feb-14-2008

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

Feb-15-2008



Inspection Report

3.7 (b)

COMPATIBLE GROUPING.

Dogs and cats that are housed in the same primary enclosure must be compatible, with the following restrictions: (b) Any dog or cat exhibiting a vicious or overly aggressive disposition must be housed separately...

A dead Cairn terrier was observed on the floor in the aisle of the last breeding building during the time of inspection. The dog was involved in a fight with its enclosure mate as per the undersigned facility designate. The designate went on to indicate that he found the dog dead inside of the enclosure two days ago. All dogs sharing enclosures must be compatible. Assure that overly aggressive or vicious dogs are not housed with other animals to provide for provide for the health and safety of all animals at the facility.

To be corrected: From this day forward.

3.11 (a)

CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

a) Cleaning of primary enclosures. Excreta and food waste must be removed from primary enclosures daily, and from under primary enclosures as often as necessary to prevent an excessive accumulation of feces and food waste, to prevent soiling of the dogs or cats contained in the primary enclosures, and to reduce disease hazards, insects, pests and odors. The pans under primary enclosures with grill-type floors and the ground areas under raised runs with mesh or slatted floors must be cleaned as often as necessary to prevent accumulation of feces and food waste and to reduce disease hazards pests, insects and odors.

A layer of feces and grime coated the walls directly beneath the animals' suspended enclosures during the time of inspection. The affected areas were located in the first breeding room at the facility. Feces and grime can harbor disease hazards and attract flies and other pests. Thoroughly clean the affected areas and repeat as necessary to provide for the health and well-being of the animals.

To be corrected: 3-7-08

Note: Chad Moore ACI, USDA, APHIS, AC conducted the inspection with the licensee and undersigned facility designate on 2-14-08. The inspection exit interview was conducted with the undersigned facility designate on 2-15-08.

Prepared By:

CHAD T MOORE, A C I USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR Inspector 1046

Date:
Feb-14-2008

Received By:

(b)(6), (b)(7)(c)

Date:
Feb-15-2008



Inspection Report

COLLEEN RIES
WISHBONE KENNELS
1835 310TH STREET

Customer ID: **20612**
Certificate: **42-A-0950**
Site: 001
COLLEEN RIES

RYAN, IA 52330

Type: ATTEMPTED INSPECTION
Date: Apr-06-2007

2.126 (a) (1)

ACCESS AND INSPECTION OF RECORDS AND PROPERTY.

Sec. 2.126: Access and inspection of records and property.

- (a) Each dealer, exhibitor, intermediate handler, or carrier, shall, during business hours, allow APHIS officials:
- (1) To enter its place of business.

** A facility representative was not available to allow access from 1200 to 1300 hours on 4/5/07.

APHIS requests that the licensee contact her inspector at either (515) 382-6641 (work) or (703) 812-6194 (voice mail) with a daytime telephone number that may be used during normal working hours to contact the licensee so that an inspection of animals, facilities and records may be undertaken. Thank you.

End of report.

Prepared By:

STEVE BELLIN, V.M.O. USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR Inspector 4034

Date:
Apr-06-2007

Received By:

(b)(6), (b)(7)(c)

Date:
Apr-06-2007